


CERTIFICATE OF ANALYSIS (Typical)

Client's Name:		Capsule Name:			
Product Name: EMPTY GELATIN CAPSULE		PO No. /			
Batch No. : <i>P.....</i>		Qty In Nos <i>100,000</i>			
Size : <i>0#</i>		Mfg. Date : <i>2019-09-22</i>			
Cap Color : <i>GREEN</i>		Exp. Date : <i>2024-09-21</i>			
Body Color : <i>WHITIE</i>		Report Date : <i>2019-10-09</i>			
Cap Printing : <i>N/A</i>					
Body Printing: <i>N/A</i>					
MEASUREMENT:		Length(mm)	Diameter(mm)	Well-knit length(mm)	average weight(mg)
0#	CAPS	11.0±0.3	7.68±0.06	21.4±0.5	97±9
	BODY	18.50±0.30	7.36±0.06		
TEST		SPECIFICATION		UNIT	RESULT
IDENTIFICATION					
1. Description		Cylindrical, capsules should have a clean, smooth and uniformly colored surface, odorless, well-trimmed and shaped without deformation.		-	Complies
2. Gelatin		Pharmaceutical grade		-	Complies
3. Odor		No foreign odor		-	Complies
4. Identification of gelatin		Test (1) Positive of gelatin		-	Complies
		Test (2) Positive of gelatin		-	Complies
		Test (3) Positive of gelatin		-	Complies
PERFORMANCE					
1. Compactness		Take 10 capsules, not more than 1 capsule found with leakage of powder.		-	Complies

CERTIFICATE OF ANALYSIS (Typical)

2. Friability	Take 50 capsules, not more than 5 capsules broken.	-	Complies
3. Disintegration time	Max 10	Min	8
4. Loss on drying	12.5-17.5	%	15.1
5. Viscosity	Min 60	mm ² /S	80.2
SAFETY			
1. Sulphated ash	Maximum 5.0%	%	2.3
2. Arsenic	Maximum 1PPM	-	Complies
3. Heavy Metals	Maximum 40PPM	-	Complies
4. Chromium	≤2ppm	ppm	Complies
5. Sulphur Dioxide	Maximum 50 PPM	-	Complies
MICROBIAL LIMITS			
1. Total Bacterial count	Max 500	CFU/g	Complies
2. Yeast and Molds	Max 100	CFU/g	Complies
3. E.coli	Absent in 1g	-	Complies
4. Salmonella	Absent in 10g	-	Complies
Reference Standard	The capsules are produced according to Chinese Pharmacopoeia 2015 edition		
Stock Condition	Temperature: 15°C-25°C and Humidity: 35%-65%		
Prepared by QC manager:			
Date: :2019-10-09		Date:	
Supplier's Stamp:		 Approved By:	